Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
M. L. Birnstiel
C. R. Cantor
L. Caro
G. N. Cohen
D. M. Crothers
J. E. Darnell
W. F. Dove
G. A. Gilbert
W. Gilbert
A. Klug
D. E. Koshland
S. Lowey
D. Nathans
D. C. Phillips
C. M. Radding
F. M. Richards
T. Staehelin
G. M. Tomkins
P. M. B. Walker

VOLUME 83
15 February 1974 to 15 March 1974

ACADEMIC PRESS
LONDON NEW YORK SAN FRANCISCO

QH 301
J73

Copyright © 1974, by Academic Press Inc. (London) Ltd

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 83

Number 1, 15 February 1974

Yee, R. Y., Englander, S. W. and von Hippel, P. H., Native Collagen has a Two-bonded Structure 1

Scudiero, D. and Strauss, B., Accumulation of Single-stranded Regions in DNA and the Block to Replication in a Human Cell Line Alkylated with Methyl Methane Sulfonate 17

Schmir, M., Révet, B. M. J. and Vinograd, J., Dependence of the Sedimentation Coefficient of Denatured Closed Circular DNA in Alkali on the Degree of Strand Interwinding. The Absolute Sense of Supercoils 35

Johnson, P. H. and Sinsheimer, R. L., Structure of an Intermediate in the Replication of Bacteriophage ϕX174 Deoxyribonucleic Acid: The Initiation Site for DNA Replication 47

Fidanián, H. M. and Ray, D. S., Replication of Bacteriophage M13. VIII. Differential Effects of Rifampicin and Nalidixic Acid on the Synthesis of the Two Strands of M13 Duplex DNA 63

Morimoto, K. and Harrington, W. F., Substructure of the Thick Filament of Vertebrate Striated Muscle 83

Francke, B. and Hunter, T., *In vitro* Polyoma DNA Synthesis: Discontinuous Chain Growth 99

Letters to the Editor

Hunter, T. and Francke, B., *In vitro* Polyoma DNA Synthesis: Involvement of RNA in Discontinuous Chain Growth . . . 123

Number 2, 25 February 1974

Hirsch, M. and Penman, S., Post-transcriptional Addition of Polyadenylic Acid to Mitochondrial RNA by a Cordycepin-insensitive Process . . 131

Blundell, M. and Kennell, D., Evidence for Endonucleolytic Attack in Decay of *lac* Messenger RNA in *Escherichia coli* 143

PEDERSON, T., Proteins Associated with Heterogeneous Nuclear RNA in Eukaryotic Cells 163

STROUD, R. M., KAY, L. M. and DICKERSON, R. E., The Structure of Bovine Trypsin: Electron Density Maps of the Inhibited Enzyme at 5 Å and at 2·7 Å Resolution 185

KRIEGER, M., KAY, L. M. and STROUD, R. M., Structure and Specific Binding of Trypsin: Comparison of Inhibited Derivatives and a Model for Substrate Binding 209

MODEL, P. and ZINDER, N. D., *In vitro* Synthesis of Bacteriophage f1 Proteins . 231

KURIYAMA, Y. and LUCK, D. J. L., Methylation and Processing of Mitochondrial Ribosomal RNAs in *Poky* and Wild-type *Neurospora crassa* 253

CRUICKSHANK, W. H. and KAPLAN, H., Properties of the Histidines of Chymotrypsinogen: Comparison with α-Chymotrypsin 267

HOSEMANN, R., DREISSIG, W. and NEMETSCHEK, TH., Schachtelhalm-structure of the Octafibrils in Collagen 275

LETTERS TO THE EDITOR

FRASER, R. D. B., MILLER, A. and PARRY, D.A.D., Packing of Microfibrils in Collagen 281

SOSSINKA, J. and HESS, B., Electron Microscopy of Pyruvate Kinase Crystals from *Saccharomyces carlsbergensis* 285

NUMBER 3, 5 MARCH 1974

MINKLEY, E. G., JR, Transcription of the Early Region of Bacteriophage T7: Characterization of the *in vivo* Transcripts 289

MINKLEY, E. G., JR, Transcription of the Early Region of Bacteriophage T7: Specificity and Selectivity in the *in vitro* Initiation of RNA Synthesis . 305

GHYSEN, A. AND CELIS, J. E., Mischarging Single and Double Mutants of *Escherichia coli sup3* Tyrosine Transfer RNA 333

FUKUDA, R., IWAKURA, Y. AND ISHIHAMA, A., Heterogeneity of RNA Polymerase in *Escherichia coli*. I. A New Holoenzyme Containing a New Sigma Factor 353

Iwakura, Y., Fukuda, R. and Ishihama, A., Heterogeneity of RNA Polymerase in *Escherichia coli*. II. Polyadenylate·Polyuridylate Synthesis by Holoenzyme II 369

Nakanishi, M. and Tsuboi, M., A Slow Fluctuation in the Molecular Conformation of a Soya Bean Trypsin Inhibitor 379

Ralston, E. and De Coen, J.-L., Folding of Polypeptide Chains Induced by the Amino Acid Side-chains 393

Appendix: Calculation Parameters 418

Letter to the Editor

Pouwels, P. H., Cunin, R. and Glansdorff, N., Divergent Transcription in the *argECBH* Cluster of Genes in *Escherichia coli* K12 . . 421

Announcements 425

Number 4, 15 March 1974

Haywood, A. M., Characteristics of Sendai Virus Receptors in a Model Membrane 427

Cimadevilla, J. M., Morrisey, J. and Hardesty, B., A Functional Interaction between Methionyl-transfer RNA Hydrolase and a Transfer RNA Binding Factor 437

Birge, E. A. and Low, K. B., Detection of Transcribable Recombination Products following Conjugation in Rec^+, $RecB^-$ and $RecC^-$ Strains of *Escherichia coli* K12 447

Rill, R. and Van Holde, K. E., Electric Dichroism of Chromatin . . . 459

Kells, S. S. and Haselkorn, R., Bacteriophage T4 Short Tail Fibers are the Product of Gene *12* 473

Schreiber, J. P. and Daune, M. P., Fluorescence of Complexes of Acridine Dye with Synthetic Polydeoxyribonucleotides. A Physical Model of Frameshift Mutation 487

Freifelder, D., Chud, L. and Levine, E. E., Requirement for Maturation of *Escherichia coli* Bacteriophage Lambda 503

Emmons, S. W., Bacteriophage Lambda Derivatives Carrying Two Copies of the Cohesive End Site 511

Feiss, M. and Campbell, A., Duplication of the Bacteriophage Lambda End Site: Genetic Studies 527

LETTERS TO THE EDITOR

LUNDQUIST, R., MANLAPAZ-FERNANDEZ, P. AND OLIVERA, B. M., A Specific Effect of Deoxycytidine 5′-Triphosphate on DNA Chain Initiation *in vitro* 541

WAKABAYASHI, K., YAMAGUCHI, T. AND KAGAWA, H., Structural Studies of P-Filaments Produced from *Salmonella* Flagellins 545

MCCLURE, R. J. AND CRAVEN, B. M., X-ray Data for Four Crystalline Forms of Serum Albumin 551

ANNOUNCEMENT 557

Index to Volume 83

Acridine dye complex fluorescence with synthetic polydeoxyribonucleotides, 487
Albumin, serum, X-ray data for four crystalline forms, 551
Alkylation of human cell line with methyl methane sulphonate, block to DNA replication, 17
Amino acid side chain induction of polypeptide chain folding, 393
argECBH cluster of genes in *Escherichia coli* K12, divergent transcription, 421

Bacteriophage f1 protein synthesis *in vitro*, 231
— lambda derivatives carrying two copies of the cohesive end site, 511
— — end site duplication, genetic studies, 511, 527
— — of *Escherichia coli*, requirement for maturation, 503
— M13, differential effects of rifampicin and nalidixic acid on the synthesis of the two strands of M13 duplex DNA, 63
— ϕX174, initiation site for DNA replication, 47
— T4 short tail fibers are the product of gene *12*, 473
— T7 early region, characterization of the *in vivo* transcripts, 289
— — — — transcription, specificity and selectivity in the *in vitro* initiation of RNA synthesis, 305
Binding factor for tRNA, functional interaction with methionyl-tRNA hydrolase, 437
Birge, E. A. & Low, K. B., Detection of transcribable recombination products following conjugation in rec$^+$, recB$^-$ and recC$^-$ strains of *Escherichia coli* K12, 447
Blundell, M. & Kennell, D., Evidence for endonucleolytic attack in decay of *lac* messenger RNA in *Escherichia coli*, 143
Bovine trypsin, inhibited, electron density maps at 5 Å and 2·7 Å resolution, 185

Campbell, A. (see also Feiss, M.), 527
Celis, J. E. (see also Ghysen, A.), 333
Chromatin, electric dichroism, 459
Chud, L. (see also Freifelder, D.), 503
Chymotrypsinogen histidine properties, 267
Cimadevilla, J. M., Morrisey, J. & Hardesty, B., A functional interaction between methionyl-transfer RNA hydrolase and a transfer RNA binding factor, 437
Circular DNA, closed, denatured, dependence of sedimentation coefficient in alkali on the degree of strand interwinding, 35
Cohesive end site, bacteriophage lambda derivatives carrying two copies, 511
Collagen microfibril packing, 281
—, native, two-bonded structure, 1
— octafibril Schachtelhalm-structure, 275
Conjugation in rec$^+$, recB$^-$ and recC$^-$ strains of *Escherichia coli* K12, transcribable recombination product detection, 447
Cordycepin-insensitive process involved in post-transcriptional addition of polyadenylic acid to mitochondrial RNA, 131
Craven, B. M. (see also McClure, R. J.), 551
Cruickshank, W. H. & Kaplan, H., Properties of the histidines of chymotrypsinogens: comparison with α-chymotrypsin, 267
Crystalline serum albumin, X-ray data for four forms, 551
Cunin, R. (see also Pouwels, P. H.), 421

Daune, M. P. (see also Schreiber, J. P.), 487
De Coen, J.-L. (see also Ralston, E.), 393
Denatured closed circular DNA, dependence of sedimentation coefficient in alkali on the degree of strand interwinding, 35
Deoxycytidine 5′-triphosphate: specific effect on DNA chain initiation *in vitro*, 541

Deoxyribonucleic acid, accumulation of single-stranded regions and the block to replication in a human cell line alkylated with methyl methane sulphonate, 17
— — chain initiation *in vitro*, specific effect of deoxycytidine 5′-triphosphate, 541
— —, denatured closed circular, dependence of sedimentation coefficient in alkali on the degree of strand interwinding, 35
— —, differential effects of rifampicin and nalidixic acid on the synthesis of the two strands of bacteriophage M13 duplex DNA, 63
— —, initiation site for replication in bacteriophage ϕX174, 47
— — of polyoma, *in vitro* synthesis, discontinuous chain growth, 99
— — — — — — —, RNA involvement in discontinuous chain growth, 123
Dichroism, electric, of chromatin, 459
DICKERSON, R. E. (see also KRIEGER, M.), 209
— (see also STROUD, R. M.), 185
Divergent transcription in the *argECBH* cluster of genes in *Escherichia coli* K12, 421
DREISSIG, W. (see also HOSEMANN, R.), 275

Early region of bacteriophage T7, characterization of the *in vivo* transcripts, 289
— — transcription in bacteriophage T7, specificity and selectivity in the *in vitro* initiation of RNA synthesis, 305
Electric dichroism of chromatin, 459
Electron density maps of inhibited bovine trypsin at 5 Å and 2·7 Å resolution, 185
— microscopy of pyruvate kinase crystals from *Saccharomyces carlsbergensis*, 285
EMMONS, S. W., Bacteriophage lambda derivatives carrying two copies of the cohesive end site, 511
End site duplication in bacteriophage lambda, genetic studies, 511
— — of bacteriophage lambda, duplication genetic studies, 527
Endonucleolytic attack in decay of *lac* mRNA in *Escherichia coli*, 143
Englander, S. W. (see also YEE, R. Y.), 1
Escherichia coli bacteriophage lambda, requirement for maturation, 503
— —, endonucleolytic attack in decay of *lac* mRNA, 143
— — K12, detection of transcribable recombination products following conjugation in rec$^+$, recB$^-$ and recC$^-$ strains, 447
— — —, divergent transcription in the *argECBH* cluster of genes, 421
— — RNA polymerase holoenzyme II, polyadenylate·polyuridylate synthesis, 369
— — — — —, new holoenzyme containing new sigma factor, 353
— — *sup*3 tyrosine tRNA, single and double mutant mischarging, 333
Eukaryotic cells, proteins associated with heterogeneous nuclear RNA, 163

f1 (see Bacteriophage), 231
FEISS, M. & CAMPBELL, A., Duplication of the bacteriophage lambda end site: genetic studies, 527
FIDANIÁN, H. M. & RAY, D. S., Replication of bacteriophage M13. VIII. Differential effects of rifampicin and nalidixic acid on the synthesis of the two strands of M13 duplex DNA, 63
Flagellins of *Salmonella*, structural studies of P-filaments, 545
Fluorescence of complexes of acridine dye with synthetic polydeoxyribonucleotides, 487
Folding of polypeptide chain induced by amino acid side chains, 393
Frameshift mutation, physical model, 487
FRANCKE, B. & HUNTER, T., *In vitro* polyoma DNA synthesis: discontinuous chain growth, 99
— (see also HUNTER, T.), 123
FRASER, R. D. B., MILLER, A. & PARRY, D. A. D., Packing of microfibrils in collagen, 281
FREIFELDER, D., CHUD, L. & LEVINE, E. E., Requirement for maturation of *Escherichia coli* bacteriophage lambda, 503
FUKUDA, R., IWAKURA, Y. & ISHIHAMA, A., Heterogeneity of RNA polymerase in *Escherichia coli*. X. A new holoenzyme containing a new sigma factor, 353
— (see also IWAKURA, Y.), 369
Functional interaction between methionyl-tRNA hydrolase and a tRNA binding factor, 437

CHYSEN, A. & CELIS, J. E., Mischarging single and double mutants of *Escherichia coli sup3* tyrosine transfer RNA, 333
GLANSDORFF, N. (see also POUWELS, P. H.), 421

Hardesty, B. (see also Cimadevilla, J. M.), 437
Harrington, W. F. (see also Morimoto, K.), 83
Haselkorn, R. (see also Kells, S. S.), 473
Haywood, A. M., Characteristics of Sendai virus receptors in a model membrane, 427
Hess, B. (see also Sossinka, J.), 285
Hirsch, M. & Penman, S., Post-transcriptional addition of polyadenylic acid to mitochondrial RNA by a cordycepin-insensitive process, 131
Histidine properties in chymotrypsinogen, 267
Holoenzyme, containing new sigma factor of *Escherichia coli* RNA polymerase, 353
Holoenzyme II of *Escherichia coli* RNA polymerase, polyadenylate·polyuridylate synthesis, 369
Hosemann, R., Dreissig, W. & Nemetschek, Th., Schachtelhalm-structure of the octafibrils in collagen, 275
Human cell line alkylated with methyl methane sulphonate, block to DNA replication, 17
Hunter, T. & Francke, B., *In vitro* polyoma DNA synthesis: involvement of RNA in discontinuous chain growth, 123
— (see also Francke, B.), 99
Hydrolase for methionyl tRNA, functional interaction with a tRNA binding factor, 437

Initiation of DNA chain *in vitro*, specific effect of deoxycytidine 5′-triphosphate, 541
— — *in vitro* RNA synthesis during transcription of the early region of bacteriophage T7, specificity and selectivity, 305
— site for DNA replication in bacteriophage ϕX174, 47
Ishihama, A. (see also Fukuda, R.), 353
— (see also Iwakura, Y.), 369
Iwakura, Y., Fukuda, R. & Ishihama, A., Heterogeneity of RNA polymerase in *Escherichia coli*. II. Polyadenylate.polyuridylate synthesis by holoenzyme II, 369
— (see also Fukuda, R.), 353

Johnson, P. H. & Sinsheimer, R. L., Structure of an intermediate in the replication of bacteriophage ϕX174 deoxyribonucleic acid: the initiation site for DNA replication, 47

K12 (see *Escherichia coli*), 421, 447
Kagawa, H. (see also Wakabayashi, K.), 545
Kaplan, H. (see also Cruickshank, W. H.), 267
Kay, L. M. (see also Krieger, M.), 209
— (see also Stroud, R. M.), 185
Kells, S. S. & Haselkorn, R., Bacteriophage T4 short tail fibers are the product of gene *12*, 473
Kennell, D. (see also Blundell, M.), 143
Kinase for pyruvate from *Saccharomyces carlsbergensis*, electron microscopy, 285
Krieger, M., Kay, L. M. & Stroud, R. M., Structure and specific binding of trypsin: comparison of inhibited derivatives and a model for substrate binding, 209
Kuriyama, Y. & Luck, D. J. L., Methylation and processing of mitochondrial ribosomal RNAs in *Poky* and wild-type *Neurospora crassa*, 253

lac mRNA decay in *Escherichia coli*, evidence for endonucleolytic attack, 143
Lambda (see Bacteriophage), 503, 511, 527
Levine, E. E. (see also Freifelder, D.), 503
Low, K. B. (see also Birge, E. A.), 447
Luck, D. J. L. (see also Kuriyama, Y.), 253
Lundquist, R., Manlapaz-Fernandez, P. & Olivera, B. M., A specific effect of deoxycytidine 5′-triphosphate on DNA chain initiation *in vitro*, 541

M13 (see Bacteriophage), 63
McClure, R. J. & Craven, B. M., X-ray data for four crystalline forms of serum albumin, 551
Manalpaz-Fernandez, P. (see also Lundquist, R.), 541
Maturation requirement of *Escherichia coli* bacteriophage lambda, 503
Messenger RNA, *lac*, decay in *Escherichia coli*, evidence for endonucleolytic attack, 143
Methionyl-tRNA hydrolase and a tRNA binding factor, functional interactions, 437

Methyl methane sulphonate alkylation of a human cell line, 17
Methylation and processing of mitochondrial ribosomal RNAs in *Poky* and wild-type *Neurospora crassa*, 253
Microfibril packing in collagen, 281
Miller, A. (see also Fraser, R. D. B.), 281
Minkley, E. G., Jr, Transcription of the early region of bacteriophage T7: characterization of the *in vivo* transcripts, 289
— — — — — — — — —: specificity and selectivity in the *in vitro* initiation of RNA synthesis, 305
Mischarging single and double mutants of *Escherichia coli sup3* tyrosine tRNA, 333
Mitochondrial ribosomal RNA methylation and processing in *Poky* and wild-type *Neurospora crassa*, 253
— RNA, post-transcriptional addition of polyadenylic acid by a cordycepin-insensitive process, 131
Model, P. & Zinder, N. D., *In vitro* synthesis of bacteriophage f1 proteins, 231
Morimoto, K. & Harrington, W. F., Substructure of the thick filament of vertebrate striated muscle, 83
Morrisey, J. (see also Cimadevilla, J. M.), 437
Muscle, striated, of vertebrate, substructure of thick filament, 83

Nakanishi, M. & Tsuboi, M., A slow fluctuation in the molecular conformation of a soya bean trypsin inhibitor, 379
Nalidixic acid and rifampicin, differential effects on the synthesis of the two strands of bacteriophage M13 duplex DNA, 63
Nemetschek, Th. (see also Hosemann, R.), 275
Neurospora crassa, *Poky* and wild-type, methylation and processing of mitochondrial ribosomal RNAs, 253
Nuclear RNA, heterogeneous nuclear, associated proteins in eukaryotic cells, 163

Octafibrils of collagen, Schachtelhalm-structure, 275
Olivera, B. M. (see also Lundquist, R.), 541

ϕX174 (see Bacteriophage), 47
P-filaments produced from *Salmonella* flagellins, structural studies, 545
Parry, D. A. D. (see also Fraser, R. D. B.), 281
Pederson, T., Proteins associated with heterogeneous nuclear RNA in eukaryotic cells, 163
Penman, S. (see also Hirsch, M.), 131
Poky (see *Neurospora crassa*), 253
Polyadenylate·polyuridylate synthesis by *Escherichia coli* RNA polymerase holoenzyme II, 369
Polyadenylic acid, post-transcriptional addition to mitochondrial RNA by a cordycepin-insensitive process, 131
Polydeoxyribonucleotides, synthetic, fluorescence of acridine dye complexes, 487
Polymerase for RNA, holoenzyme II of *Escherichia coli*, polyadenylate·polyuridylate synthesis, 369
— — — in *Escherichia coli*, new holoenzyme containing new sigma factor, 353
Polyoma DNA synthesis *in vitro*, discontinuous chain growth, 99
— — — — —, RNA involvement in discontinuous chain growth, 123
Polypeptide chain folding induction by amino acid side chains, 393
Post-transcriptional addition of polyadenylic acid to mitochondrial RNA by a cordycepin-insensitive process, 131
Pouwels, P. H., Cunin, R. & Glansdorff, N., Divergent transcription in the *argECBH* cluster of genes in *Escherichia coli* K12, 421
Pyruvate kinase crystals from *Saccharomyces carlsbergensis*, electron microscopy, 285

Ralston, E. & De Coen, J.-L., Folding of polypeptide chains induced by the amino acid side-chains, 393
Ray, D. S. (see also Fidanián, H. M.), 63
Rec strains (see *Escherichia coli*), 447
Receptors for Sendai virus, characteristics in a model membrane, 427
Révet, B. M. J. (see also Schmir, M.), 35

Ribonucleic acid, evidence for endonucleolytic attack in decay of *lac* mRNA in *Escherichia coli*, 143
— —, functional interaction between methionyl-tRNA hydrolase and a tRNA binding factor, 437
— —, heterogenous nuclear, associated proteins in eukaryotic cells, 163
— — involvement in discontinuous chain growth during *in vitro* polyoma DNA synthesis, 123
— —, mitochondrial, post-transcriptional addition of polyadenylic acid by a cordycepin-insensitive process, 131
— — polymerase holoenzyme II of *Escherichia coli*, polyadenylate·polyuridylate synthesis, 369
— — — of *Escherichia coli*, new holoenzyme containing new sigma factor, 353
— — synthesis initiation during *in vitro* transcription of the early region of bacteriophage T7, specificity and selectivity, 305
— —, transfer for tyrosine of *Escherichia coli sup3*, mischarging double mutants, 333
— acids, mitochondrial ribosomal, methylation and processing in *Poky* and wild-type *Neurospora crassa*, 253
Ribosomal RNAs, mitochondrial, methylation and processing in *Poky* and wild-type *Neurospora crassa*, 253
Rifampicin and nalidixic acid, differential effects on the synthesis of the two strands of bacteriophage M13 duplex DNA, 63
Rill, R. & Van Holde, K. E., Electric dichroism of chromatin, 459

Saccharomyces carlsbergensis, electron microscopy of pyruvate kinase crystals, 285
Salmonella flagellins, structural studies of P-filaments, 545
Schachtelhalm-structure of the octafibrils of collagen, 275
Schmir, M., Révet, B. M. J. & Vinograd, J., Dependence of the sedimentation coefficient of denatured closed circular DNA in alkali on the degree of strand interwinding. The absolute sense of supercoils, 35
Schreiber, J. P. & Daune, M. P., Fluorescence of complex of acridine dye with synthetic polydeoxyribonucleotides. A physical model of frameshift mutation, 487
Scudiero, D. & Strauss, B., Accumulation of single-stranded regions in DNA and the block to replication in a human cell line alkylated with methyl methane sulfonate, 17
Sedimentation coefficient of denatured closed circular DNA in alkali, dependence on the degree of strand interwinding, 35
Sendai (see Virus), 427
Serum albumin, X-ray data for four crystalline forms, 551
Sigma factor, new, in new holoenzyme of *Escherichia coli* RNA polymerase, 353
Single-stranded DNA accumulation and the block to replication in a human cell line alkylated with methyl methane sulphonate, 17
Sinsheimer, R. L. (see also Johnson, P. H.), 47
Sossinka, J. & Hess, B., Electron microscopy of pyruvate kinase crystals from *Saccharomyces carlsbergensis*, 285
Soya bean trypsin inhibitor, slow fluctuation of its molecular conformation, 39
Strauss, D. (see also Scudiero, D.), 17
Striated muscle of vertebrate, substructure of thick filament, 83
Stroud, R. M., Kay, L. M. & Dickerson, R. E., The structure of bovine trypsin: electron density maps of the inhibited enzyme at 5 Å and at 2·7 Å resolution, 185
Substrate binding model for trypsin, 209
sup3 (see *Escherichia coli*), 333
Supercoils, absolute sense, 35
Synthetic polydeoxyribonucleotides, fluorescence of acridine dye complexes, 487

T4 (see Bacteriophage), 473
T7 (see Bacteriophage), 289, 305
Tail fibers, short, of bacteriophage T4, product of gene *12*, 473
Thick filament of vertebrate striated muscle, substructure, 83
Transcribable recombination product detection following conjugation in rec$^+$, recB$^-$ and recC$^-$ strains of *Escherichia coli* K12, 447
Transcription, divergent, in the *argECBH* cluster of genes in *Escherichia coli* K12, 421
— of the early region of bacteriophage T7, 289, 305
Transfer RNA for tyrosine of *Escherichia coli sup3*, mischarging double mutants, 333
— — hydrolase, methionyl, functional interaction with a tRNA binding factor, 437

Trypsin, comparison of inhibited derivatives and a model for substrate binding, 209
—, inhibited bovine, electron density maps at 5 Å and 2·7 Å resolution, 185
— inhibitor of soya bean, slow fluctuation of its molecular conformation, 379
Tauboi, M. (see also Nakanishi, M.), 379
Tyrosine tRNA of *Escherichia coli sup3*, mischarging double mutants, 333

Van Holde, K. E. (see also Rill, R.), 459
Vertebrate striated muscle, thick filament substructure, 83
Vinograd, J. (see also Schmir, M.), 35
Virus, Sendai, characteristics of receptors in a model membrane, 427
von Hippel, P. H. (see also Yee, R. Y.), 1

Wakabayashi, K., Yamaguguchi, T. & Kagawa, H., Structural studies of P-filaments produced from *Salmonella* flagellins, 545
Wild-type (see *Neurospora crassa*), 253

X-ray data for four crystalline forms of serum albumin, 551

Yamaguchi, T. (see also Wakabayashi, K.), 545
Yee, R. Y., Englander, S. W. & von Hippel, P. H., Native collagen has a two-bonded structure, 1

Zinder, N. D. (see also Model, P.), 231